




## 4.6M 붐 & 2.5M 암 & 도저 Up

DX140LC-5(-5K/-5L)













트랙 폭 : 2.59 m STD 트랙  
 붐 : 4.6 m  
 암 : 2.5 m  
 버켓 : 장착 안함  
 카운터웨이트 : 2,200 kg  
 슈 : 600 mm  
 도저 : 도저 상승  
 : 전방 자세  
 : 측방 또는 360 선회 자세  
 단위 : 1,000 kg (1,000 lb)

EX1503545

그림 13


### METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		6		MAX. REACH		
											A (m)
7.5									* 2.76	* 2.76	3.61
6					* 3.66	* 3.66			* 2.18	* 2.18	5.42
4.5					* 3.95	* 3.95	* 3.20	2.50	* 2.02	* 2.02	6.39
3			* 6.67	* 6.67	* 4.96	3.77	4.07	2.44	* 2.01	1.95	6.91
1.5			* 8.32	6.38	6.15	3.54	3.96	2.34	* 2.12	1.84	7.07
0			* 7.15	6.10	5.96	3.37	3.88	2.27	* 2.38	1.87	6.90
-1.5	* 5.38	* 5.38	* 10.33	6.07	5.89	3.31	3.85	2.24	* 2.91	2.08	6.37
-3	* 9.19	* 9.19	* 9.86	6.18	5.95	3.36			* 4.22	2.66	5.37

## 4.6M 붐 & 2.5M 암 & 도저 미장착

DX140LC-5(-5K/-5L)



트랙 폭 : 2.59 m STD 트랙  
 붐 : 4.6 m  
 암 : 2.5 m  
 버켓 : 장착 안함  
 카운터웨이트 : 2,200 kg  
 슈 : 600 mm  
 도저 : 장착 안함  
 : 전방 자세  
 : 측방 또는 360 선회 자세  
 단위 : 1,000 kg (1,000 lb)

EX1503544

그림 12


### METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		6		MAX. REACH		A (m)
7.5									* 2.76	* 2.76	3.61
6					* 3.66	* 3.66			* 2.18	* 2.18	5.42
4.5					* 3.95	3.74	* 3.20	2.35	* 2.02	* 2.02	6.39
3			* 6.67	* 6.67	* 4.96	3.55	3.58	2.28	* 2.01	1.82	6.91
1.5			* 8.32	5.99	5.41	3.31	3.48	2.19	* 2.12	1.71	7.07
0			* 7.15	5.70	5.22	3.15	3.39	2.11	* 2.38	1.74	6.90
-1.5	* 5.38	* 5.38	* 10.33	5.68	5.16	3.09	3.36	2.09	* 2.91	1.93	6.37
-3	* 9.19	* 9.19	* 9.86	5.79	5.21	3.14			4.01	2.48	5.37

# 4.0M 붐 & 1.9M 암 & 도저 Up

DX140LC-5(-5K/-5L)



트랙 폭 : 2.59 m STD 트랙  
 붐 : 4.0 m  
 암 : 1.9 m  
 버켓 : 장착 안함  
 카운터웨이트 : 2,200 kg  
 슈 : 600 mm  
 도저 : 도저 상승  
 : 전방 자세  
 : 측방 또는 360 선회 자세  
 단위 : 1,000 kg (1,000 lb)

EX1503833

그림 30


## METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		MAX. REACH		A (m)
6							* 2.42	* 2.42	3.91
4.5			* 4.82	* 4.82	* 4.55	4.25	* 1.98	* 1.98	5.18
3			* 7.28	* 7.28	* 5.64	4.13	* 1.87	* 1.87	5.81
1.5					6.62	3.96	* 1.92	* 1.92	6.00
0			* 10.49	6.97	6.49	3.85	* 2.14	* 2.14	5.80
-1.5	* 7.11	* 7.11	* 11.10	6.97	6.47	3.83	* 2.69	* 2.69	5.16
-3			* 8.43	7.16			* 4.54	* 4.54	3.85

# 4.0M 붐 & 1.9M 암 & 도저 미장착

DX140LC-5(-5K/-5L)



트랙 폭 : 2.59 m STD 트랙  
 붐 : 4.0 m  
 암 : 1.9 m  
 버켓 : 장착 안함  
 카운터웨이트 : 2,200 kg  
 슈 : 600 mm  
 도저 : 장착 안함  
 : 전방 자세  
 : 측방 또는 360 선회 자세  
 단위 : 1,000 kg (1,000 lb)

EX1503834

그림 31

## METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		MAX. REACH		
									A (m)
6							* 2.42	* 2.42	3.91
4.5			* 4.82	* 4.82	* 4.55	4.03	* 1.98	* 1.98	5.18
3			* 7.28	* 7.28	* 5.64	3.91	* 1.87	* 1.87	5.81
1.5					5.89	3.74	* 1.92	* 1.92	6.00
0			* 10.49	6.57	5.76	3.62	* 2.14	* 2.14	5.80
-1.5	* 7.11	* 7.11	* 11.10	6.58	5.74	3.61	* 2.69	* 2.69	5.16
-3			* 8.43	6.76			* 4.54	* 4.54	3.85